



# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

## PASSIVE PURPLE BRUSH

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Passive Purple Brush  
Registration number REACH : Not applicable (mixture)  
Product type REACH : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Airtight coating

##### 1.2.2 Uses advised against

No uses advised against

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier of the safety data sheet

Hevadex BVBA  
Alfons Braekmanlaan 237A  
B-9040 Sint-Amandsberg  
☎ +32 93 48 31 00

Imported to the UK by: White's Carpentry Ltd / Tel: 01767 651076

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):  
+32 475 73 85 46

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

#### 2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

##### Supplemental information

EUH208 Contains: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.  
EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

No other hazards known

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
aluminium hydroxide 01-2119529246-39	21645-51-2 244-492-7	C<25 %		(2)	Constituent

(2) Substance with a Community workplace exposure limit

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General:

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)  
Technische Schoolstraat 43 A, B-2440 Geel  
<http://www.big.be>  
© BIG vzw  
Reason for revision: 2;3;8;11;12;15;16  
Revision number: 0100

Publication date: 2015-11-10  
Date of revision: 2016-02-01

Product number: 56847

1 / 10

134-17577-478-en

# PASSIVE PURPLE BRUSH

Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.

## **After inhalation:**

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

## **After skin contact:**

Wash immediately with lots of water. Soap may be used. Take victim to a doctor if irritation persists.

## **After eye contact:**

Rinse with water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.

## **After ingestion:**

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

## **4.2. Most important symptoms and effects, both acute and delayed**

### **4.2.1 Acute symptoms**

#### **After inhalation:**

No effects known.

#### **After skin contact:**

No effects known.

#### **After eye contact:**

No effects known.

#### **After ingestion:**

No effects known.

### **4.2.2 Delayed symptoms**

No effects known.

## **4.3. Indication of any immediate medical attention and special treatment needed**

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### **5.1. Extinguishing media**

#### **5.1.1 Suitable extinguishing media:**

Water spray. Polyvalent foam. ABC powder. Carbon dioxide.

#### **5.1.2 Unsuitable extinguishing media:**

No unsuitable extinguishing media known.

### **5.2. Special hazards arising from the substance or mixture**

Upon combustion: formation of CO and CO<sub>2</sub>, metallic fumes and small quantities of hydrogen chloride.

### **5.3. Advice for firefighters**

#### **5.3.1 Instructions:**

No specific fire-fighting instructions required.

#### **5.3.2 Special protective equipment for fire-fighters:**

Gloves. Face-shield. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

## SECTION 6: Accidental release measures

### **6.1. Personal precautions, protective equipment and emergency procedures**

No naked flames.

#### **6.1.1 Protective equipment for non-emergency personnel**

See heading 8.2

#### **6.1.2 Protective equipment for emergency responders**

Gloves. Face-shield. Protective clothing.

#### Suitable protective clothing

See heading 8.2

### **6.2. Environmental precautions**

Contain released substance, pump into suitable containers. Plug the leak, cut off the supply.

### **6.3. Methods and material for containment and cleaning up**

Solid spill: cover with absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

### **6.4. Reference to other sections**

See heading 13.

# PASSIVE PURPLE BRUSH

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Keep container tightly closed. Observe strict hygiene.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Storage temperature: 5 - 35 °C. Store in a cool area. Meet the legal requirements.

#### 7.2.2 Keep away from:

Heat sources.

#### 7.2.3 Suitable packaging material:

Plastics.

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### Belgium

Aluminium (métal et composés insolubles, fraction alvéolaire)	Time-weighted average exposure limit 8 h	1 mg/m <sup>3</sup>
---------------------------------------------------------------	------------------------------------------	---------------------

##### USA (TLV-ACGIH)

Aluminium, insoluble compounds (R): Respirable fraction	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	1 mg/m <sup>3</sup> (R)
------------------------------------------------------------	----------------------------------------------------------------	-------------------------

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

Aluminum & Compounds (as Al)	NIOSH	7013
------------------------------	-------	------

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 DNEL/PNEC values

##### DNEL/DMEL - Workers

###### aluminium hydroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	10.76 mg/m <sup>3</sup>	
	Long-term local effects inhalation	10.76 mg/m <sup>3</sup>	

##### DNEL/DMEL - General population

###### aluminium hydroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects oral	4.74 mg/kg bw/day	

##### PNEC

###### aluminium hydroxide

Compartments	Value	Remark
STP	20 mg/l	

#### 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Keep container tightly closed. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

# PASSIVE PURPLE BRUSH

## 8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

### a) Respiratory protection:

Wear gas mask with filter type A if conc. in air > exposure limit.

### b) Hand protection:

Gloves.

### c) Eye protection:

Safety glasses.

### d) Skin protection:

Protective clothing.

## 8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical form	Paste
Odour	Odourless
Odour threshold	No data available
Colour	White to blue
Particle size	Not applicable (mixture)
Explosion limits	No data available
Flammability	Non-flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	10000 mPa.s ; 40 °C
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Vapour pressure	No data available
Solubility	water ; miscible
Relative density	No data available
Decomposition temperature	No data available
Auto-ignition temperature	No data available
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	No data available

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Heating increases the fire hazard.

### 10.2. Chemical stability

No data available.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Keep away from naked flames/heat. Keep container tightly closed.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Upon combustion: formation of CO and CO<sub>2</sub>, metallic fumes and small quantities of hydrogen chloride.

## SECTION 11: Toxicological information

Reason for revision: 2;3;8;11;12;15;16

Publication date: 2015-11-10

Date of revision: 2016-02-01

Revision number: 0100

Product number: 56847

4 / 10

# PASSIVE PURPLE BRUSH

## 11.1. Information on toxicological effects

### 11.1.1 Test results

#### Acute toxicity

##### Passive Purple Brush

No (test)data on the mixture available

##### aluminium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 423	> 2000 mg/kg bw		Rat (female)	Experimental value	
Dermal						Data waiving	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	> 2.3 mg/l air	4 h	Rat (male/female)	Read-across	

Judgement is based on the relevant ingredients

#### Conclusion

Not classified for acute toxicity

#### Corrosion/irritation

##### Passive Purple Brush

No (test)data on the mixture available

##### aluminium hydroxide

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405	1 h	24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	

Judgement is based on the relevant ingredients

#### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

#### Respiratory or skin sensitisation

##### Passive Purple Brush

No (test)data on the mixture available

##### aluminium hydroxide

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406		24; 48 hours	Guinea pig (male)	Experimental value	
Intratracheal instillation	Not sensitizing				Mouse (male)	Weight of evidence	

Judgement is based on the relevant ingredients

#### Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

#### Specific target organ toxicity

##### Passive Purple Brush

No (test)data on the mixture available

##### aluminium hydroxide

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	Equivalent to OECD 407	302 mg/kg food		No effect	4 weeks (daily)	Rat (male)	Weight of evidence
Inhalation (aerosol)	NOAEC	Equivalent to OECD 412	3 mg/m <sup>3</sup> air	Lungs	No effect	4 weeks (6h/day, 5 days/week)	Rat (male)	Read-across
Inhalation (aerosol)	LOAEC	Equivalent to OECD 412	28 mg/m <sup>3</sup> air	Lungs	Overall effects	4 weeks (6h/day, 5 days/week)	Rat (male)	Read-across

Judgement is based on the relevant ingredients

#### Conclusion

Not classified for subchronic toxicity

#### Mutagenicity (in vitro)

Reason for revision: 2;3;8;11;12;15;16

Publication date: 2015-11-10

Date of revision: 2016-02-01

Revision number: 0100

Product number: 56847

5 / 10

# PASSIVE PURPLE BRUSH

## Passive Purple Brush

No (test)data on the mixture available

### aluminium hydroxide

Result	Method	Test substrate	Effect	Value determination
Negative	OECD 476	Mouse (lymphoma L5178Y cells)	No effect	Experimental value

## Mutagenicity (in vivo)

### Passive Purple Brush

No (test)data on the mixture available

### aluminium hydroxide

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative	OECD 474	24 h	Rat (male)	Bone marrow	Experimental value

## Carcinogenicity

### Passive Purple Brush

No (test)data on the mixture available

### aluminium hydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Inhalation (dust)				86 weeks (6h/day, 5 days/week)	Rat (male/female)	No effect	Lungs	Read-across

## Reproductive toxicity

### Passive Purple Brush

No (test)data on the mixture available

### aluminium hydroxide

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	266 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
Effects on fertility	NOAEL (P)	OECD 422	1000 mg/kg bw	4 weeks (daily)	Rat (male)	No effect	Male reproductive organ	Read-across
	NOAEL (P)	OECD 422	1000 mg/kg bw	5 weeks (daily) - 8 weeks (daily)	Rat (female)	No effect	Female reproductive organ	Read-across

Judgement is based on the relevant ingredients

### Conclusion CMR

Not classified for carcinogenicity

Not classified for mutagenic or genotoxic toxicity

Not classified for reprotoxic or developmental toxicity

## Toxicity other effects

### Passive Purple Brush

No (test)data on the mixture available

## Chronic effects from short and long-term exposure

### Passive Purple Brush

ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Skin rash/inflammation.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Passive Purple Brush

No (test)data on the mixture available

#### aluminium hydroxide

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		> 10000 mg/l	96 h	Pisces			Literature study
Acute toxicity invertebrates	EC50		> 10000 mg/l	48 h	Daphnia magna			Literature study

Judgement of the mixture is based on the relevant ingredients

Reason for revision: 2;3;8;11;12;15;16

Publication date: 2015-11-10

Date of revision: 2016-02-01

Revision number: 0100

Product number: 56847

6 / 10

# PASSIVE PURPLE BRUSH

## Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

## 12.2. Persistence and degradability

No test data of component(s) available

## 12.3. Bioaccumulative potential

Passive Purple Brush

### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

aluminium hydroxide

### Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

## Conclusion

No test data of component(s) available

## 12.4. Mobility in soil

No (test) data on mobility of the components available

## 12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

## 12.6. Other adverse effects

Passive Purple Brush

### Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

Can be considered as non-hazardous waste according to Regulation (EU) No 1357/2014. The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned.

#### 13.1.2 Disposal methods

Recycle/reuse. Remove waste in accordance with local and/or national regulations.

#### 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC).  
15 01 02 (plastic packaging).

## SECTION 14: Transport information

### Road (ADR)

#### 14.1. UN number

Transport	Not subject
-----------	-------------

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

#### 14.4. Packing group

Packing group	
Labels	

#### 14.5. Environmental hazards

Environmentally hazardous substance mark	no
------------------------------------------	----

#### 14.6. Special precautions for user

Special provisions	
--------------------	--

Reason for revision: 2;3;8;11;12;15;16

Publication date: 2015-11-10

Date of revision: 2016-02-01

Revision number: 0100

Product number: 56847

7 / 10

# PASSIVE PURPLE BRUSH

Limited quantities	
--------------------	--

## Rail (RID)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
------------------------------	--

Class	
-------	--

Classification code	
---------------------	--

14.4. Packing group

Packing group	
---------------	--

Labels	
--------	--

14.5. Environmental hazards

Environmentally hazardous substance mark	no
------------------------------------------	----

14.6. Special precautions for user

Special provisions	
--------------------	--

Limited quantities	
--------------------	--

## Inland waterways (ADN)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class	
-------	--

Classification code	
---------------------	--

14.4. Packing group

Packing group	
---------------	--

Labels	
--------	--

14.5. Environmental hazards

Environmentally hazardous substance mark	no
------------------------------------------	----

14.6. Special precautions for user

Special provisions	
--------------------	--

Limited quantities	
--------------------	--

## Sea (IMDG/IMSBC)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class	
-------	--

14.4. Packing group

Packing group	
---------------	--

Labels	
--------	--

14.5. Environmental hazards

Marine pollutant	-
------------------	---

Environmentally hazardous substance mark	no
------------------------------------------	----

14.6. Special precautions for user

Special provisions	
--------------------	--

Limited quantities	
--------------------	--

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Annex II of MARPOL 73/78	
--------------------------	--

## Air (ICAO-TI/IATA-DGR)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class	
-------	--

14.4. Packing group

Packing group	
---------------	--

Labels	
--------	--

14.5. Environmental hazards



# PASSIVE PURPLE BRUSH

Environmentally hazardous substance mark	no
------------------------------------------	----

## 14.6. Special precautions for user

Special provisions	
Passenger and cargo transport: limited quantities: maximum net quantity per packaging	

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
	No data available

VOC content Directive 2004/42/EC

Maximum value	EC limit value	Category	Subcategory	Notation
0 g/l	40 g/l	IIA	c: Exterior walls of mineral substrate	2004/42/IIA(c)(40)0

European drinking water standards (Directive 98/83/EC)

Passive Purple Brush

Parameter	Parametric value	Note	Reference
Aluminium	200 µg/l		Listed in Annex I, Part C, of Directive 98/83/EC on the quality of water intended for human consumption.

#### National legislation The Netherlands

Passive Purple Brush

Waste identification (the Netherlands)	LWCA (the Netherlands): KGA category 03
Waterbezwaarlijkheid	11

#### National legislation Germany

Passive Purple Brush

WGK	1; Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
-----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

aluminium hydroxide

Schwangerschaft Gruppe	D
Schwangerschaft Gruppe	D
MAK 8-Stunden-Mittelwert mg/m <sup>3</sup>	Aluminium-, Aluminiumoxid-, Aluminiumhydroxidhaltige Ställube (alveolengällngige Fraktion); 1.5 mg/m <sup>3</sup> ; gemessen als alveolengängige Fraktion (vgl. Abschn. Vd) S. 191)
	Aluminium-, Aluminiumoxid-, Aluminiumhydroxidhaltige Ställube (einatembare Fraktion); 4 mg/m <sup>3</sup> ; gemessen als einatembare Fraktion (vgl. Abschn. Vd) S. 191)
TA-Luft	5.2.1

#### National legislation France

Passive Purple Brush

No data available

#### National legislation Belgium

Passive Purple Brush

No data available

#### Other relevant data

Passive Purple Brush

No data available

aluminium hydroxide

TLV - Carcinogen	Aluminium, insoluble compounds; A4
------------------	------------------------------------

### 15.2. Chemical safety assessment

No chemical safety assessment is required.

## SECTION 16: Other information

(\*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption,

Reason for revision: 2;3;8;11;12;15;16

Publication date: 2015-11-10

Date of revision: 2016-02-01

Revision number: 0100

Product number: 56847

9 / 10

# PASSIVE PURPLE BRUSH

storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.